



CONTACTS



Administration

5 Teiba st, From Alhouda wa Alnour st,
Mansoura, Dakahlia,Egypt.

Factory

Area No.6 Block B, 4 th Industrial Zone
Gamasa, Dakahlia,Egypt.

Scientific office

21 Abd-alaziz Alsaud - Almanial Cairo,Egypt.



info@edpharma.com.eg
export@edpharma.com.eg



www.edpharma.com.eg



+2 050 27 29 696
+20 127 353 4552



Pet Animals Products

Tablet

PET MAX



Composition:

Each tablet (3gm) contains :

Vitamin A.....	15000
i	u
Vitamin D ₃	2000
i	u
Vitamin E.....	32
m	g
Vitamin B ₁	130
m	g
Vitamin B ₂	16
m	g
Vitamin B ₆	8.8
m	g
Vitamin B ₁₂	91.7
m	g
Niacin	5
m	g
Pantothenic acid	78
m	g
Folic acid	3
m	g
Taurine	1000
m	g
Biotin.....	12
m	g
Calcium citrate.....	250
m	g
Fish oil.....	250
m	g



Neured



Composition:

Each tablet (2gm) contains :

Calcium (Organic Calcium).....	50
mg	Magnesium
.....	16
mg	
Sodium	8
m	g
Vitamin E.....	40
m	g
Vitamin B ₁	4
m	g
Vitamin B ₂	10
m	g
Vitamin B ₆	22
m	g
Vitamin B ₁₂	2
m	g
Nicotinic acid.....	20
m	g
Pantothenic acid	10
m	g
Colloidal silica	2
m	g
Dry yeast	10
m	g
Dextrose	up
to.....	2
g	



Indication:

Supplement of essential vitamins and mineral elements .

Fabyziqual



Composition:

Each tablet contains :

Febantel	525
m	g
Pyrantel embonate.....	504
m	g
Praziquantel	175
m	g

Indication:

- Treatment of round worms and tape worms in dogs.
- For routine control adult dogs should be treated every 3 months, repeat dose after 14 days in heavy

Joined



Composition:

Each tablet (1.5 gm) contains:

Vitamin E	60
mg	
Vitamin C.....	60
mg	
Glucosamine	700
mg	
Chondroitin sulfate.....	200
mg	
Lactose up to	1.50
g	

Indication:

- Supplement for joint support.

MUSCOLED



Composition:

Each tablet (1.5 gm) contains:

Calcium	209
m	g
Vitamin E.....	60
m	g
Vitamin C.....	25
m	g
Glucosamine.....	240
m	g
Manganese.....	10
m	g
Zinc.....	8.50
m	g
Copper	0.5
m	g
Magnesium	3
m	g
Chondroitin sulfate.....	96
m	g
Lactose up to.....	1500
m	g

Indication:

- Supplement for joint support.

Dosage:

- Cats less than 5kg : 1 tablet daily.



PET VET



Composition:

Each 2gm contains:

Vitamin A.....	472	i	u
Vitamin D ₃	40	i	u
Vitamin E.....	1.5	m	g
Calcium	67.5	m	g
Menocalcium phosphate	616	m	g
(Ca.....104 mg, Ph.....140		m	g
Dry yeast up to	2	g	m

Indication:

Supplement of essential vitamins and mineral elements.



Ed cal pet



Composition:

Each tablet (3 gm) contains :

Calcium dibasic phosphate ...	2.4	gm
(Calcium 600 mg , Phosphorus 432 mg)		
Vitamin D ₃	400	iu
Dextrose add up to	3	gm

Indication:

Supplement of calcium ,



EDOZOX-P



Composition:

Each 1.5g Tablet Contains:

Ascorbic Acid	12	mg
D L - M e t h i o n i n e	40	mg
L-Arginine	50	mg
Betaine Anhydrous	30	mg
Magnesium Oxide	50	mg
Sodium Citrate	2	mg
Potassium Chloride	4	mg
Green Tea(Camellia Sinensis)Leaf Extract	10	mg
Taurine	10	mg
Inositol	10	mg
N-Acetyl Cysteine	10	mg
Inactive Yeast	50	mg
Fructose Oligosaccharides.....	10	mg
Caraway (Carum carvi L.) Essential Oil	10	mg



Oral Solution

Edomega



Composition:

Each 100 ml contains:

Fish oil.....	70	l
• Palmitic acid	10570	g
• Stearic acid.....	2772	g
• Oleic acid	23254	g
• Linolic acid	7427	g
• Linolenic acid	2275	g
Biotin	20	g
Vitamin E.....	2000	g
Tween 80	11	g
Sodium benzoate.....	5	g
Polysorbate up to.....	100	ml

Analytical composition:

Per tsp (5 ml):

EPA	567	g
-----------	-----	---

B-MIXED



Composition:

Contains per 1 ml:

Vitamin K ₃	2.228	g
Vitamin B ₁	6.29	g
Vitamin B ₂	2.5	g
Vitamin B ₆	6.15	g
Vitamin B ₁₂	0.05	g
Folic acid	0.32	g
Biotin	0.05	g
Nicotinic acid.....	20	g
Pantothenic acid.....	5.66	g



Oral Solution

Furrless



Composition:

Each 1 L contains:

• Cod liver oil250	m	l
• Palmitic acid25500	m	g
• Stearic acid11050	m	g
• Oleic acid54400	m	g
• Linolic acid110675	m	g
• Linolenic acid40175	m	g
Vitamin E7500	m	g
Taurine1800	m	g
Biotin500	m	g
Soybean oil150	m	l
Polyethylene glycol up to1	l	i
		t	e
		r	

Indication:

- Source of omega 3.
- Support skin and coat.
- Anti-inflammatory used in case of Pancreatitis, Hepatitis, Dermatitis

Edmogal



Composition:

Each 100 ml contains:

Fish oil50	m	l
• Palmitic acid7550	m	g
• Stearic acid1980	m	g
• Oleic acid16610	m	g
• Linolic acid5305	m	g
• Linolenic acid1625	m	g
Vitamin A35000	i	u
Vitamin D ₃50000	i	u
Vitamin E3	g	m
Tween 8011	g	m
Sodium benzoate5	g	m
Polysorbate up to100	m	l

Analytical composition:

Per tsp (5 ml):

EPA	mg
-----	-------	----



EDABcomplex

Composition:

Contains per 1 ml :

Vitamin A	15000	I	U
Vitamin D ₃	2500	I	U
Vitamin E	20	m	g
Vitamin B ₁	10	m	g
Vitamin B ₂	5	m	g
Vitamin B ₆	3	m	g
Vitamin B ₁₂	0.025	m	g
Nicotinic acid	35	mg	
Pantothenic acid			



ED3AL

Composition:

Contains per 1 ml :

Vitamin A	50000	i	u
Vitamin D ₃	10000	i	u
Vitamin E	10	m	g
Sorbitol	80	m	g
Poly ethylene glycol	75	m	g
Distilled Water	1	m	l



Indication:

Vitamin A, Vitamin D₃ and Vitamin E as dietary supplement for pets.

Dosage:

Cats and dogs (less than 15 kg)



Oral Solution

Aminocal



Composition:

Contains per 1 ml :

Calcium (Chloride).....	7.222	
m		g
Calcium (Acetate).....	1	
m		g
Lysine	10	
m		g
L-Methionine	10	
m		g
Choline.....	25	
m		g
Vitamin C	25	
m		g
Mono propylene glycol	50	
m		g
Distilled Water Ad up to.....	1	
m		l

Edaminovit



Composition:

Contains per 1 ml :

Vitamin B1.....	5	
m		g
Vitamin B2	5	
m		g
Vitamin B4	5	
m		g
Vitamin B12	0.01	
m		g
Nicotinic acid	20	
m		g
Pantothenic acid	2	
m		g
Folic acid.....		
0	1	m
Choline	25	
m		g
DL-Methionine.....	3.5	
m		g

Rozakalonexo



Composition:

Each 1 ml contains :

Febantel	15
mg	
Pyrantel embonate	14.4

Indication:

treatment and prevention of endoparasites.

Dosage:

Dogs: 1 ml/kg B.wt.



Oral Solution

Fegated



Composition:

Contains per 1 ml :

Artichoke Extract	11.25	
m		g
Silymarin	2.5	
m		g
Betaine	30.75	
m		g
L- Carnitine	40	
m		g
Vitamin E	1	
m		g
Nicotinic acid	2	
m		g
Choline	52	
m		g
Zinc	2.5	
m		g
Selenium	0.05	
m		g
Magnesium sulphate	40	
m		g
Propionic acid	20	
mg Ammonium propionate	10	mg
Sorbitol	250	
m		g
Propylene glycol	25	

ED-TONIC



Composition:

Contains per 1 ml :

Choline	26	
m		g
L-Carnitine	75	
m		g
Betaine	25	
m		g
Vitamin B ₁	10	
m		g
Vitamin B ₁₂	0.03	
m		g
L-Lysine	7.25	
mg		DL-Methionine
	10	mg
Magnesium	20	
m		g
Sorbitol	100	
m		g
Water	add	up



PETRED



Composition:

Each 1 L contains:

Flaxseed oil	250
m	l
• Palmitic acid.....	13375
m	g
• Stearic acid.....	9900
m	g
• Oleic acid.....	37625
m	g
• Linolic acid.....	48950
m	g
• Linolenic acid	137975
m	g
Vitamin E	500
m	g
Taurine.....	1000
m	g
Biotin.	1000
m	g
Polyethylene glycol up to.....	1
l i t e r	r

Indication:

- Heart support.
- Maintain healthy skin and coat .



Supred-P



Composition:

Each 1 L contains:

Vitamin A	500000
l	U
Vitamin D ₃	15000
l	U
Vitamin E	2000
m	g
Vitamin K ₃	100
m	g
Vitamin B ₁	600
m	g
Vitamin B ₂	1000
m	g
Vitamin B ₆	250
m	g
Vitamin B ₁₂	50
m	g
Nicotinic acid	4000

Indication:

- Supplement of essential vitamins.
- Source of Omega 6.
- Maintain healthy skin and coat.

Dosage:

Small dogs and cats : 2 ml / 5 kg body weight / day.
Dogs over 30 kg: 4 ml / day.

VITMIXED

**Composition:**

Each 1 gm contains:

Bacillus Subtilis	2.5 x 10 ⁸	u
c	f	u
Bacillus Licheniformis	2.5 x 10 ⁸	u
c	f	u
V i t a m i n		
A.....	1500	iu
Vitamin		D ₃
.....	450	iu
Vitamin k ₃	1	mg
m		mg
Vitamin B ₂	2	mg
m		mg
Vitamin B ₆	3	mg
m		mg
Vitamin B ₁₂	20	mcg
m	c	mcg
Nicotinic acid	5	mg
m		mg
Pantothenic acid	1	mg
m		mg
DL-Methionine	10	mg
m		mg
L-Lysine	3	mg
m		mg
Zinc	5	mg
m		mg
Manganese.....	6.75	mg
m		mg
Copper	1	mg

Dosage:

Dogs less than 15 kg, cat : 1 Tea spoonful (5gm)/day.

Dogs over 15 kg B. Wt: 1 Table spoonful (12gm)/day.



Multi Vitamin H POWDER



Composition:

Each 1 gm contains :

Vitamin A	5000	i	u
Vitamin D ₃	1000	i	u
Vitamin E	1.5	m	g
Vitamin K ₃	0.2	m	g
Vitamin B ₁	0.1	m	g
Vitamin B ₂	0.5	m	g
Vitamin B ₆	1	m	g
Vitamin B ₁₂	5	m	g
Folic acid	0.7	m	g
Biotin	0.05	m	g

Indication:

Supplement for essential vitamins ,amino acids and minerals.

Dosage:

Dogs less than 15 kg, cat : 1 Tea spoonful (5gm)/day.

Dogs over 15 kg B. Wt: 1 Table spoonful (12gm)/day.

FERTALED



Composition:

Each 1 Kg contains:

Biotin	400	m	g
Calcium dibasic phosphate	4.5	gm (Ca..... 1125 mg) (Ph..... 810 mg)	
Magnesium	1700	m	g
Sodium	700	m	g
Potassium	20000	m	g
Phosphorus	12000	m	g
Manganese	700	m	g
Zinc	1000	m	g
Iron	500	m	g
Copper	150	m	g
Cobalt	5	m	g
Dry yeast up to	1	k	g

Emaprotazol

**Composition:**

Contains per 1 ml :
Imidocarb dipropionate 120 mg
(as Imidocarb 85 mg)

Indication:

Treatment of Babesia canis
infection in dogs.

Dosage:

Dogs: 0.55 ml / 10 kg B.wt. i.m., s.c.
once, repeated in 2-3 weeks.

Ecomarboflox

**Composition:**

Each 1ml contains:
Marbofloxacin160
mg

Indication:

Treatment of soft tissue, urogenital
(including pyelonephritis and
prostatitis) and skin infections.

Dosage:

Dogs : 0.06 ml / 5 kg single S.C or I.V
followed by oral treatment.
Cats: 0.0125 ml / kg B.wt. / day S.C
or I.V followed by S.C injection for
3-5 days.

Kanapro

**Composition:**

Each 100 ml contains:
Kanamycin Acid Sulfate..7500000
iu
N-Acetyl-L-Cysteine.....7.
5 g

Indication:

Treatment of superficial pyoderma,
Deep pyoderma, Superficial ocular
infection and Lower urinary tract
infection.

Dosage:

Dogs: 1.5 - 2 ml of Kanapro /10 kg



Ceftiofur 50 mg/ml

**Composition:**

Each 1 ml of reconstituted solution contains :

Ceftiofur (as Ceftiofur sodium).....50 mg

Indication:

Treatment of urinary tract infections.

Dosage:

Dogs: 0.44 ml / 10 kg B.wt S.C /

Edlincovin

**Composition:**

Each 1 ml contains:

Lincomycin(as Hcl)..... 300 mg

Indication:

Active against Gram-positive cocci (including penicillin resistant staphylococci) and many obligate anaerobes.

Dosage:

Dogs, cats: 0.33 ml/ 4.5 kg b.wt once daily i.m or slow i.v , may be repeated at 12-24 hours intervals for up to 21 days

Enrofloxacin 10 %

**Composition:**

Each 1 ml contains:

Enrofloxacin100 mg

Indication:

Treatment of soft tissue, urogenital (including prostatic) and skin infections.

Active against Mycoplasma and many Gram-positive and Gram-negative organisms.

Dosage:

Dogs: 0.5 ml /10 kg b.wt s.c./24hr. Higher doses (1 ml / 10 kg b.wt / 24hr).

Cats: 0.25 ml / 5 kg b.wt s.c./24 hr.



Carbosoda



Composition:

Each 1000 ml contains:
Sodium bicarbonate.....84 gm

Indication:

-Treatment of severe metabolic acidosis.
-Also indicated in severe diarrhea.

Dosage:

Dogs: 50-250 ml / dog I.V.

Edetriminal



Composition:

Each 1 ml contains :
Sulfadiazine200 mg
Trimethoprim40 mg

Indication :

Treatment of urinary , respiratory and prostatic infections .

Dosage :

Dogs , cats : 1.25 ml / 10 kg b.wt

Diphendramine



Composition:

Each 1 ml contains :
Diphenhydramine HCL..... 20 mg

Indication :

Anti-allergy used in treatment of allergic symptoms .

Dosage :

Dogs : 0.57 - 1.34 ml / 5 kg b.wt / 12 hrs.



Solution For Injection

Amipharma



Composition:

Each 100 ml contains :
Amikacin sulfate16.69
gm
(eq.to Amikacin base 12.5 gm)

Indication:

Against Gram -ve bacteria ,
Staphylococcus aureus and
Nocardia spp.

Dosage:

Dogs : 1.2- 2.4 ml / 10 kg b.wt i.v
, i.m or s.c / 24 hrs .
Greyhounds a lower dose of 0.96 ml
/10 kg is recommended in this
breed and other sight hounds.
Cats :0.4 -0.6 ml / 5 kg .b.wt i.v,

Emaloxin



Composition:

Each 1 ml contains:
Meloxicam 5
mg

Indication:

Anti-inflammatory , analgesic and
anti-pyretic .

Dosage:

Dogs , cats : initial dose in
preoperative 0.2 ml / 5 kg b.wt s.c.
Post operative pain and
inflammation in cats : single
injection of 0.3 ml / 5 kg b.wt s.c.

Santyprofen



Composition:

Each 1 ml contains:
Carprofen..... 50
mg

Indication:

Anti-inflammatory and analgesic.

Dosage:

Dog: 1 ml/12.5 kg B.wt.
Cat: 0.24 ml/3 kg B.wt.



Ivermectin ED-pharma



Composition:

Each 1 ml contains:
Ivermectin..... 10
mg

Indication:

Treatment of sarcoptic mange and cheyletiellosis.

Dosage:

Dogs: 0.2-0.4 ml/ 10 kg body weight.

Jectabutazone 20%



Composition:

Contains per 1 ml :
Phenylbutazone..... 200
mg

Indication:

-Treatment of musculoskeletal disorder in dogs.
-Anti-inflammatory, analgesic and anti-pyretic.

Dosage:

Dogs: 0.75 ml / 10 kg B.wt.
(injection in a single dose).

Gentaleader



Composition:

Contains per 1 ml :
Gentamicin base (as Sulfate).....
80mg

Indication:

Treatment of urinary tract infections (cystitis) caused by Proteus mirabilis, Escherichia coli, and Staphylococcus aureus.

Dosage:

Dogs: 0.62 ml of Gentaleader/10 kg b.wt i.m/12hr for 3-4 days.



